

Expedited Shoreland Alteration Permit Application

\$ 00,00 SEP 0 8 2014	or Alteration of a P-WL1 Subdistrict and Water Quality Certification
LUPC - ASHLAND	
Applicant Name(s) Applicant Name(s) Mailing Address	Daytime Phone FAX or Email (if applicable) 834 - 2441
67 MAY RU	Cross LAG ME 04779
2. PROJECT LOCATION AND PROPERTY DETAILS	(See Instructions)
Township Town or Plantation 1055 LAKE TUP- Tax Information (check your tax bill) Map: AR 031 Plan: 01 Lot: 108	Deed or Lease Information (check your deed or lease) Lots 84844 Book: Page: Lease #: / 9/2
	Zoning at Development Site D-RS, FEMA
Water Frontage. List the name and frontage (in feet) for any lakes, ponds, frontage in a straight line between the points of intersection of side property Waterbody:	rivers, streams, or other waters on or adjacent to your lot. Measure water lines and the normal high water mark of the shoreline. Frontage
LUPC Approved Permit. List any permit numbers you are aware of for project of an approved subdivision, provide both the subdivision permit number description.	ects on your property previously approved by the Commission. If your lot is rand your lot number. This information is usually included in your deed
Land Division History. Using your deed as a starting point, trace the ownership history and configuration changes of your property back 20 years from today. List any division of those lots from which your property originated (use an additional sheet of paper or page 3 of the application, if needed).	Grantor and grantee Date of sale or lease Lot size (example -Amy Adams to Rob Roberts 1/12/97 10 acres) And Man To Grant McCrum 10/2007 We bor > Hunt's Nor Sant
If your property is part of subdivision approved by the Commission, continue to Question 3. If your property is not part of an approved subdivision, please complete the Land Division History. (Check deed or contact the LUPC office that serves your area.)	
3. PROPOSED ACTIVITY (check all that apply)	
	abilization Record for a dry hydrant may only be made by a public entity
complete and attach the appropriate Activity Attachment form.	zation, Rock Relocation and/o Water Intake Pipe or Dry Hydrant you must
☐ Time extension of previously issued Expedited Shoreland Alteration☐ Other amendment of previously issued Expedited Shoreland Alteration☐	n permit (write permit number)
	rissued Expedited Shoreland Alteration permit, contact the LUPC office that

GP 550-B (Note: There are questions in the Conditions of Approval activity attachment relevant DEVELOPMENT IN FLOOD PRONE AREAS to work in a FEMA zone, P-FP zone, or an area prone to flooding.) □ NO Is your proposed activity located within a mapped P-FP (Flood Prone P-FP Subdistrict..... Area Protection) Subdistrict, a mapped FEMA (Federal Emergency **□**NO Management Agency) flood zone, or an unmapped area prone to NO flooding? APPLICANT SIGNATURE (REQUIRED) AND AGENT AUTHORIZATION (OPTIONAL) FAX or Email (if applicable) Daytime Phone Agent Name Zip Code State Town Mailing Address I have personally examined and am familiar with the information submitted in this application, including the accompanying exhibits and supplements, and to the best of my knowledge and belief, this application is complete and includes all necessary exhibits. I understand that if the application is incomplete or missing any of the required exhibits, this will result in delays in processing my permit. The information in this application is a true and adequate narrative and depiction of what currently exists on, and what is proposed at, the property. I certify that I will give a copy of this permit and the associated CONDITIONS OF APPROVAL to any contractors working on my project. I understand that I am ultimately responsible for complying with all applicable regulations and with all conditions and limitations of any permits issued to me by the Commission. If there is an Agent listed above, I hereby authorize that individual or business to act as my legal agent in all matters relating to this permit application. I certify that the project will be completed in accordance with the CONDITIONS OF APPROVAL, and the attached Standard Conditions for Shoreland Alterations, and any other applicable Commission requirements and laws. If this is a permit amendment, then all conditions in prior permits issued for this activity will continue to apply unless specifically amended herein. Please check one of the boxes below: (see "Accessing the Project Site for Site Evaluation and Inspection" on Page ii) ☐ I authorize staff of the Land Use Planning Commission to access the project site as necessary at any reasonable hour for the purpose of evaluating the site to verify the application materials I have submitted, and for the purpose of inspecting for compliance with statutory and regulatory requirements, and the terms and conditions of my permit. I request that staff of the Land Use Planning Commission make reasonable efforts to contact me in advance to obtain my permission to fully access the project site for purposes of any necessary site evaluation and compliance inspection. All appropriate persons/listed on the deed, lease or sales contract must sign below. Date 8/25/14 Signature(s) **IMPORTANT** > This application, once signed by Commission staff and then returned to you, is your permit and authorization to proceed with your project as you have described it and have shown on the Site Plan. > Your project must be done in compliance with all of the CONDITIONS OF APPROVAL, as you have described in this application and the Activity Attachment. The Permit Certificate that will be included with the signed permit must be displayed at the construction site. > In order to comply with the Conditions of this LUPC Permit and be eligible for authorization under the Corps of Engineers Maine General Permit for

- work being done in a water of the United States under Federal Jurisdiction, LUPC permittees must submit to the Corps the U.S. Army Corps of Engineers, Category 1 Notification Form that will be attached to the signed LUPC permit. (See COMPLIANCE, on the last page of the Instructions)

LUPC AUTHORIZATION (for office use)

Based on the information you have submitted in the attached application and supporting documents, the staff of the Land Use Planning Commission concludes that, if carried out in compliance with the CONDITIONS OF APPROVAL and Standard Conditions (attached), the project you propose will not affect the water quality classification of the affected waterbody and meets the provisions of the General Land Use Standards for Wetland Alterations, Section 10.25,P of the Commission's Land Use Districts and Standards. Further, the project you propose meets the Criteria for Approval, 12 M.R.S.A. §685-B(4) of the Commission's statutes. Any variation from the project as described in this application and the CONDITIONS OF APPROVAL is subject to the LUPC staff review and approval prior to construction. Any variation undertaken without approval by Commission staff constitutes a violation of Land Use Planning Commission law. In addition, any person aggrieved by this decision of the staff may, within 30 days, request that the Commission review the decision,

Use this page to provide any explanations that will help describe your project. If you wrote "n/a" next to any of the questions or CONDITIONS OF APPROVAL in the Attachment or in the application form, if needed please explain why below, and include the number of the question or condition.

As you can see in The picture, I need To 18-do
The paver wall to Korp SIM And Soil From ging into The
IAKO. Would like To STATT in October, so An exidited
Afficial would be Appreciated
Note: just will be restored As per The original plan
THAT WAS COMPLETED by The Webbers - THAT germit
is in your files.
13 /1 /000 /1120
AN GUESTIONS, PLANE CALL AT 201-834-2441
770-855-8399
RECEIVED The C
SEP 0 8 2014
LUPC - ASHLAND

	albe 1			RECEIV		as philosophy (wildigaphy) as a	110
7 6		the object of the state of the		SEP 0 8 2	2014		10
4				LUPC - ASH	AND		1 100
					A parameter way of the same	Bo	- V
		f					
and the second s			House		and the same of th	/	
10					But and a second		2000
)	
				name of the state	Ang prompt of the First		
4				mante y A Paris Control		amen's management of the state	
					The state of the s	Water Control of the	
	21 11 11 11 11 11 11 11 11 11 11 11 11 1		To a contract of the contract	the contract of the contract o			
	A contract of the contract of			Particular de la constante de			
	A grant and a gran	Section of the sectio		Halisa de la companio del companio de la companio del companio de la companio del la companio de la companio del la companio de la companio del la companio de la companio de la companio del la compa			-V
	manufacture organization of the state of the		distribution of the state of th	delicated of the parties of the part		Annual Control of the	
	STATE OF THE PARTY OF T	Section 197	The state of the s				
The state of the s		per annual distriction of the first of the f			The state of the s	9-1	18-14
	1 P. (1)	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			12	311 to	ele
WALL	10,1	W. T.	22	VI I I I I I I I I I I I I I I I I I I			ele mm Napplia
	3,4		65		NHWW	7	
	And the second s	d person	Annual de Contractor			And the second s	
0.00		di calente		Special Specia		tering to	
	Table 1	appropriate to the second seco	Value of the second of the sec				
	ACT IN THE PARTY OF THE PARTY O	She	no line	The second secon		and the second s	Age of the second
	in the plant of th	- Agency of the	Total Control	day and a second	to make the state of the state	Parado,	-
lotes/Legen	0:				والمنافذة		Company of the Control of the Contro

1/	Tapesking No.	Permit No.	Questions and Conditions of Approva		
his A	ng shorelines on inland waters:		teration Permit Application, <u>and</u> is for projects involving stabilization of		
•	On ponds, lakes, and on streams or r	vers bordered by a P-SL1 20	mark would be less than 500 square feet.		
r ring	ojects approved using the Expedited Sho	reland Alteration Permit form	the preferred method of shoreline stabilization is by planting trees or shrubs, are site conditions preclude the use of vegetation. Retaining walls may only be chment cannot be used for new retaining walls.		
his A	Activity Attachment may only to be used: 3: 3: 4: 5: 6: 7: 8: 9: 9: 10: 10: 10: 10: 10: 10:	d for shoreline stabilizatio	n projects where the affected waterbody is bordered by the following		
•	P-SL1 zone associated with a river of P-AL zone; and All development zones (except D-PD	stream (but <u>not</u> where there	e is a FEMA or P-FP zone);		
	This Activity Attachment may not be bordered by zones not listed here, of application form. Contact the LUPC	r that cannot be reviewed us	ation projects on minor flowing waters (P-SL2 zone). Projects on waterbodies sing the expedited form for other reasons may be allowed using the standard additional information.		
4. F	PROJECT TYPE (check one)				
Г	Stabilization using plantings only (nati	ve shrubs or trees)	☐ Riprap that will include plantings for stabilization		
Г	Riprap that will not include plantings - Explain on page 3 of the application form why plantings cannot be used at your site.				
Ď	Reconstruction of a legally existing re your site.	aining wall - Explain on pag	ge 3 of the application form why plantings or riprap cannot be used at		
3. L	_OCATION (check one)				
Ī.	Lake or pond larger than 10 acres		☐ Pond smaller than 10 acres		
	River or stream bordered by a P-SL1	zone			
C. F	PROJECT DETAILS	Answering YES to a qu	uestion indicates that the statement is correct about your project.		

The total area in square feet of lake, pond, river or stream below the normal high water mark to be impacted by the

that serves your area to obtain the standard application form.

If NO, then the expedited shoreland alteration permit form cannot be used; STOP HERE. Contact the LUPC office

If YES, provide the size of the area within the waterbody to be impacted, and continue to Question 2:

This form continues onto the next page...

□NO

sq. ft.

D. CONDITIONS OF APPROVAL FOR SHORELINE STABILIZATION

your project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]". Checking 'NO' to any of the statements indicates that your project will not comply with that CONDITION OF APPROVAL, and this form cannot be used for your project. However, projects not qualifying for the expedited permit may still be allowed using a standard permit. If a statement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form. PROJECT DESCRIPTION If the shoreline stabilization project includes riprap or a retaining wall, the project will extend no farther than 100 ft. The shoreline stabilization project will not involve alteration of any (P-WL) Wetland Protection Subdistrict other than the waterbody that the activity is located on. INO The shoreline stabilization project will involve only the area of the shoreline showing evidence of active erosion, or in the 3. **□**NO NO 4. Heavy machinery would not be driven in the water or below the normal high water mark to conduct the project **□**NO For projects on flowed lakes only: Heavy machinery will be driven below the normal high water mark only 6.) where necessary, when the work area is above the level of the water, and only on rocky or gravely substrate. Mats or platforms will be used as needed to protect the shoreline and lake bottom from damage. **□NO** For projects on flowing waters only: The shoreline stabilization project will occur between July 15th and October 1st. **□NO** The shoreline stabilization project will not involve construction of access roads. **□NO** 8. The shoreline stabilization project will not occur within 250 feet of mapped Endangered, Threatened, and Special Concern species habitat as designated by the ME Department of Inland Fisheries and Wildlife (MDIFW). For further information, NO NO 11. [P-FP] The shoreline stabilization project will not interfere with natural flow, will not create an impoundment, and will not NO PROJECT DESIGN AND CONSTRUCTION Riprap and retaining walls 12. For riprap only: If riprap is proposed, the eroded slope is steeper than 3 horizontal to 1 vertical (33%), but no more than 1 horizontal to 1 vertical (45%). NO **□YES** Vegetation must be used to stabilize slopes shallower than 3:1. 13. [P-FP] For riprap only: Riprap installed along a river or stream shoreline will not extend more than 2 feet above the normal high water mark, or to the elevation of 100 year flood where mapped by the Federal Emergency Management Agency where depicted as a FEMA or P-FP zone on the Commission's zoning maps (if mapped on both, then whichever is higher). □NO **□YES** Geotextile filter fabric and/or a layer of clean coarse sand will be used behind the riprap or retaining wall to **□**NO prevent fines from washing into the waterbody..... 15. For riprap only: Riprap will only extend below the normal high water mark as needed to be keyed in, and excavation of the waterbody will be limited to only the amount needed to key in the riprap..... MINA **□NO** 17. For riprap only: Design of riprap along a stream or brook must be approved by a Maine Registered Professional DENA DYES DUT Engineer, the United States Natural Resources Conservation Service, or the local Soil and Water Conservation District. Evidence of this approval or plans stamped by a professional engineer must be submitted along with the

By law, any proposed development must meet certain conditions of approval. Please read each of the following statements carefully. Check 'YES' if

Section D Conditions of Approval, continues onto the next page...

Application Form.

18.	[P-FP] The construction practices and methods used will minimize flood damage, and the materials used will be resistant to flood damage. The riprap or retaining wall will not reduce the flood carrying capacity of the watercourse.]N/A	⊠ YES	□NO
	[P-FP] For retaining wall reconstruction only: The reconstructed retaining wall will be adequately anchored to prevent flotation, collapse or lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy]N/A	YES	□NO
20.	For retaining wall reconstruction only: The reconstructed retaining wall will not extend farther into the waterbody than the existing retaining wall	□N/A	⊠YES	□NO
	For retaining wall reconstruction only: The reconstructed retaining wall will not include a walkway unless it is a part of the existing retaining wall.		⊠ YES	□NO
22.	Fill material will only be used as needed to backfill behind the riprap or retaining wall	N/A	YES	□NO
23.	For retaining wall reconstruction only: Only untreated wood or pressure-treated wood approved by the U.S. Environmental Protection Agency for use on inland waters will be used to reconstruct the retaining wall. CCA pressure-treated wood will only be used if it is dried on land for at least 21 days in such a manner as to expose all surfaces to the air. PCP pressure-treated wood or wood treated with creosote will not be used	□N/A	ØYES	□NO
24.	For retaining wall reconstruction only: The retaining wall reconstruction will not involve the use of concrete	N/A	XYES	□NO
Veg	etation			
	The shrubs or trees to be planted are not listed as invasive species in Maine by the Maine Natural Areas Program. See www.maine.gov/dacf/mnap/index.html	 N/A	□YES	□NO
26.	The shoreline stabilization project will not involve the removal of non-invasive aquatic vegetation from the waterbody.			□NO
SOI	L AND VEGETATION DISTURBANCE; AND EROSION / SEDIMENTATION CONTROL			
	The shoreline stabilization project will not require more than incidental grading, filling or clearing of vegetation within 10 feet of the normal high water mark. The project will comply with the LUPC's standards for Vegetation Clearing (10.27, and Filling and Grading (10.27,F). See www.maine.gov/dacf/lupc/laws_rules/ch10.html , Rules and Regulations, Chapter 10	В)	.⊠YES	□NO
28.	The shoreline stabilization project will not occur when the soil above the normal high water mark is frozen or saturated		.XYES	□NO
	All areas of disturbed mineral soils above the normal high water mark will be stabilized with hay or bark mulch and replanted within one week of inactivity or completion of the project in accordance with the Commission's Guidelines for Vegetative Stabilization. See www.maine.gov/dacf/lupc/laws-rules/ch10.html , Rules and Regulations, Chapter 10, Appendix B.	r	.⊠YES	□NO
30.	Prior to construction, erosion/sedimentation control measures such as staked hay bales or silt fencing will be placed between the work area and the normal high water mark to prevent sediment from entering the waterbody. Silt fencing will be removed within 30 days of completing the project, if soil stabilization is complete		. 🌣 YES	□NO
31.	For work to be done in the water, then prior to construction sedimentation control measures such as a floating silt boor will be installed around the work area below the normal high water mark to contain and isolate turbidity. The silt boom will be removed upon completion of construction.	m	.∰YES	□NO

Jaly M1 C